

## Digital ABS Caliper CoolantProof IP67 Inch/Metric, 0-8", Thumb Ro., w/o Output

Item number: 500-753-20



### Description

This IP67 ABSOLUTE digimatic caliper allows reliable measurements in a wide range of situations and offers you the following benefits:

- Excellent resistance against water and dust (IP67 protection level) enabling use in machining situations that include splashing coolant fluid
- It is dustproof, complies with EN60529 and withstands temporary complete immersion in water without suffering any damage.
- Extraordinarily long battery life
- ABS (ABSOLUTE) scale requires no origin setting after power-on and has no limit to response speed.

### Features


Depth bar:	<b>flat</b>
Thumb roller:	<b>Yes</b>
Max. Permissible Error E MPE:	<b>±0,001"</b>
Max. Permissible Error S MPE:	<b>±0,002"</b>
Data output:	<b>No</b>
Mass:	<b>194 g</b>
Digital step:	<b>0,0005"/0,01 mm</b>

### Privacy settings

This site uses third-party website tracking technologies to provide and continually improve our services, and to display advertisements according to users' interests. I agree and may revoke or change my consent at any time with effect for the future.

ACCEPT ALL AND PROCEED

Information & Settings



A: 20 mm  
B: 24.5 mm  
C: 18.1 mm  
D: 50 mm  
H: 16 mm

## Accessories

### Optional accessories:



**Digimatic Cable with Data Button IP Type  
1m, Caliper Type**  
05CZA624

Suggested retail price: **88.00 €\***




**Digimatic Cable with Data Button IP Type  
2m, Caliper Type**  
05CZA625

Suggested retail price: **92.00 €\***



**U-WAVE-T Connection Cable A  
with Data Button IP Caliper Type**  
02AZD790A

Suggested retail price: **97.00 €\***



**Depth Base Attachment for Caliper, 75mm width  
75mm width for 100, 150, 200mm Range**  
050083-10

Suggested retail price: **50.00 €\***



**Depth Base Attachment for Caliper  
100mm width for 100, 150, 200mm Range**  
050084-10

Suggested retail price: **56.00 €\***



**USB Input Tool Direct (Digimatic USB)  
Digi/Digi2, With Data Button IP Caliper Type**  
06AFM380A

Suggested retail price: **122.00 €\***



**Connection Unit, U-WAVE fit  
Waterproof Type**  
02AZF310

Suggested retail price: **97.00 €\***



**U-WAVE fit, IP67 Type  
Wireless Transmitter for Caliper**

## Privacy settings

This site uses third-party website tracking technologies to provide and continually improve our services, and to display advertisements according to users' interests. I agree and may revoke or change my consent at any time with effect for the future.

ACCEPT ALL AND PROCEED

Information & Settings

Suggested retail price: **163.00 €\***



**U-WAVE fit, Buzzer Type  
Wireless Transmitter for Caliper  
264-621**

Suggested retail price: **163.00 €\***



**Connection Unit, U-WAVE fit  
Waterproof Type  
02AZF310**

Suggested retail price: **97.00 €\***



**Battery SR44 1.5V  
938882**

Suggested retail price: **8.00 €\***



**Digimatic Cable with Data Button IP Type  
1m, Caliper Type  
05CZA624**

Suggested retail price: **88.00 €\***



**Digimatic Cable with Data Button IP Type  
2m, Caliper Type  
05CZA625**

Suggested retail price: **92.00 €\***



**U-WAVE-T Connection Cable A  
with Data Button IP Caliper Type  
02AZD790A**

Suggested retail price: **97.00 €\***



**Depth Base Attachment for Caliper, 75mm width  
75mm width for 100, 150, 200mm Range  
050083-10**

Suggested retail price: **50.00 €\***



**Depth Base Attachment for Caliper  
100mm width for 100, 150, 200mm Range  
050084-10**

Suggested retail price: **56.00 €\***

## Spare parts

### Consumable spares:

**Battery SR44 1.5V**

### Privacy settings

This site uses third-party website tracking technologies to provide and continually improve our services, and to display advertisements according to users' interests. I agree and may revoke or change my consent at any time with effect for the future.

ACCEPT ALL AND PROCEED

Information & Settings